

# SELF DEFENSE/ SURVIVAL KITS

## #LED LIGHT PEN



no. 666



— switch on/off  
\*AAA battery x 1

— ball pen  
\*Fits Parker or Fisher refill.

no. 667



— twist on/off  
\*AAA battery x 1

— glass breaker



— ball pen  
\*Fits Parker or Fisher refill.

no. 669



— twist on/off  
\*Lithium battery x 3

— ball pen  
\*Fits Parker or Fisher refill.

Item	666	667	669
LED Light			
Color	White, R4		
Lumen rate	65 lm		
View angle	115 degree		
Forward voltage	2.8- 3.1 (V)		
Forward current	350 - 1500 (mA)		
Thermal resistance	4°C/W		
CCT range	6500 - 7000 (K)		
Battery	AAA excluded		Lithium excluded
Material	Aircraft Anodized aluminum		
Multi uses -	LED Lightening Ball pen	LED Lightening Glass breaker Ball pen	LED Lightening Ball pen
Ball pen refill	Fits Parker or Fisher refill		
Belt clip carry	Tip-down carry		
Opening length	158.8 mm (6.25")	157.7 mm (6.21")	155.0 mm (6.10")
Weight	47 g (1.65 oz)	50 g (1.75 oz)	50 g (1.75 oz)



Packaging: PE bag, Box  
Logo: Customized  
Sample: Available  
Color: Customized

# SELF DEFENSE/ SURVIVAL KITS

## #TACTICAL PEN

Tactical pen  
no. 663

|

Survival kit  
no. 668

|

\*Fits Parker or Fisher refill.




compass/ fire starter/ cotton



Item	663	668
Type	Twisted opening	Twisted opening
Material	Aircraft aluminum, anodized gold	Anodized aluminum
Multi-uses	Tungsten glass breaker	Fire starter, compass, key
Belt clip carry	Tip-down carry	N/A, key ring carry
Opening length	149.6 mm (5.89")	109.1 mm (4.29")
Weight	37 g (1.30 oz)	24 g (0.85 oz)

# SELF DEFENSE/ SURVIVAL KITS

twist opening and easy carry



Item	660	664
Type	Pen knife	Self defense tactical pen
Material	Color plated metal	Aluminum
Multi-uses	Ball pen, small knife	Glass breaker, key chain, knife
Blade	Stainless steel, 1.26 mm (0.05") thick Length 60.8 mm (2.39")	Stainless steel, 2.0 mm (0.08") thick Length 65.8 mm (2.59")
Belt clip carry	Tip-down carry	N/A, Key ring carry
Opening length	134.7 mm (5.30")	112.7 mm (4.43")
Close length	N/A	171.9 mm (6.76")
Weight	17 g (0.60 oz)	31 g (1.10 oz)