



PRODUCT CATALOG



CONTENTS

- · EDC
- DAMASCUS
- · OUTDOOR
 - -CAMPING
 - -SRUVIVAL
 - -HUNTING
- TACTICAL
- · UTILITY



EDC (EVERYDAY CARRY)

tek-speed knives offer high quality, SOP system, lastest design.











The advantages of Folding Utility Knife contains:

- Wide color selection on the Alunimun and Stainless steel cover
- · Quick change blade
- Stainless steel blade for extreme sharp
- Pretty light weight, hand size fit, easy carry in the pocket and bag
- Cut the box, rope, tape, fruit, vegetable anytime anywhere in the daily life or camping activities.
- Satisfy your everyday demands





#181

- 51/53HRC, pocket knife
- Nice corrosion-resistance black oxide blade
- Play as a Multi-tools pocket knives for cutting chopping, camping, tactical .. etc outdoor applications
- Aluminnu handle for hand comfort and gripping
- Plain edge and Serrated edges are available.
- Lanyard hole & Belt clip carry

Item	181
Locking type	Liner Locking
Blade	3Cr13 stainless steel, 2.3 mm (0.09") thick
Blade length	68.0 mm (2.70")
Handle	Anodized aluminum scale,11.1 mm (0.43") thick
Belt clip carry	Tip-down carry, right side
Opening length	161.7 mm (6.37")
Closed length	93.9 mm (3.69")
Weight	71 g (2.5 oz)



- The tek 282 knife is a lightweight, compact folder that is quick to open and durable.
- Within its 3Cr13 stainless steel, plain edge and serrated edges are available.
- The anodized aluminum handle, make the knife balanced and strong, also the shape fits to your hand making it comfortable to hold and grip.
- It is a perfect choice for an everyday carry, play as Multi-tools pocket knives for cutting, chopping, camping, tactical .. etc outdoor applications.

Item	282
Locking type	Liner Locking
Blade	420J2 (3Cr13) stainless steel, 3.0 mm (0.11") thick
Blade length	76.5 mm (3.01")
Handle	Anodized Aluminum, 11.5 mm (0.45") thick
Belt clip carry	N/A
Opening length	186.5 mm (7.34")
Closed length	110.0 mm (4.33")
Weight	106 g (3.73 oz)







Item	155	162	180	192	195	196
Locking type	Liner Locking	Frame Locking	Liner Locking	Liner Locking	Liner Locking	Frame Locking
Blade	3Cr13 (42J2) stainless steel, 2.9 mm (0.11") thick	3Cr13 stainless steel, 2.3 mm (0.09") thick	7Cr17 stainless steel, 2.3 mm (0.09") thick	3Cr13 stainless steel, 2.3 mm (0.09") thick	7Cr17 (440A) stainless steel, 2.8 mm (0.11") thick	3Cr13 stainless steel, 2.3 mm (0.09") thick
Blade length	85.0 mm (3.35")	73.0 mm (2.87")	66.0 mm (2.60")	74.0 mm (2.90")	85.0 mm (3.40")	71.0 mm (2.80")
Handle	Aonodized aluminum black, 12.2 mm (0.48") thick	Anodized aluminum and stainless steel, 7.9mm (0.31") thick	11.89 mm (0.46")	Anodized aluminum scale, 11.1 mm (0.43")	Tan, G10 machined groove, 14.9 mm (0.58") thick	Stainless steel, forged, 9.3 mm (0.36") thick
Belt clip carry	Tip-down carry, right hand	One tip down carry on the back	Tip-up carry, right side	Tip-down carry, right side	Tip-up carry, right / left side	Tip-down carry, right side
Opening length	205.0 mm (8.07")	165.2 mm (6.50")	155.6 mm (6.13")	167.3 mm (6.59")	200.4 mm (7.89")	166.8 mm (6.57")
Closed length	120.0 mm (4.72")	92.0 mm (3.62")	88.7 mm (3.50")	94.7 mm (3.73)	114.4 mm (4.50)	97.5 mm (3.84")
Weight	113 g (4 oz)	55 g (1.94 oz)	70 g (2.45 oz)	74 g (2.6 oz)	136 g (4.8 oz)	99 g (3.50 oz)















Item	197	198	281	285	652
Locking type	Liner Locking	Liner Locking	Liner Locking	Joint Venture	Bottom lock
Blade	3Cr13 stainless steel, 2.3 mm (0.09") thick	7Cr17 stainless steel, 2.3 mm (0.09") thick	AUS8 (8Cr3Mov) 2.5 mm (0.09") thick	420J2 (3Cr13Mov) stainless steel, 1.5 mm (0.05") thick	Stainless steel, 0.8 mm (0.03") thick
Blade length	71.0 mm (2.80")	66.0 mm (2.60")	69.5 mm (2.73")	53.5 mm (2.10")	50 mm (1.96")
Handle	Anodized aluminum scale, 11.2 mm (0.44") thick	Tan, G10 machined groove, 12.2 mm (0.48") thick	420J2 (3Cr13) stainless steel w/ carbon fiber onlay, 9.0 mm (0.35") thick	Stainless steel, 3.0 mm (0.11") thick	Plastic, 4.5 mm (0.17") thick
Belt clip carry	Tip-down carry, right side	Tip-up carry, right / left side	N/A	N/A (with chain)	N/A
Opening length	162.8 mm (6.41")	154.4 mm (6.08")	161.0 mm (6.33")	60.8 mm (2.39")	144.0 mm (5.66")
Closed length	93.9 mm (3.70")	88.2 mm (3.47")	91.5 mm (3.60")	7.3 mm (0.28")	94.0 mm (3.70")
Weight	75 g (2.70 oz)	72 g (2.55 oz)	78 g (2.75 oz)	19 g (0.67 oz)	17 g (0.59 oz)

DAMASCUS



Superior strength and sharpness, both essential qualities for your knives.



The custom damascus knife is impressed with its contructing 71-layer Damascus blade and handle.

#269 comes with a tooled leather sheath with attached belt loop for easy carry.

No etching or fake patterns- this is the real damascus steel.

Suitable for heavy-duty uses in the Military, Tactical, Survival, Hunting, Camping, Combat or Training field.

Item	178	269
Locking type	Back Lock	Fixed Blade
Blade	Damascus steel, 2.5 mm (0.09") thick	Damascus steel, 2.7 mm (0.11") thick
Blade length	84.4 mm (3.32")	103.0 mm (4.05")
Handle	Damascus steel, 11.0 mm (0.43") thick	Micarta, 15.0 mm (0.59") thick
Belt clip carry	N/A	114.1 mm (4.49")
Opening length	189.7 mm (7.47")	181.5 mm (7.14")
Closed length	105.3 mm (4.14")	N/A
Weight	152 g (5.35 oz)	158 g (5.55 oz)

2015 PRODUCT CATALOG www.tek-speed.com

DAMASCUS





Item	161	RDD 169	RDD 170	RWD 171	LSD 172
Locking type	Liner locking	Back Lock	Back Lock	Back Lock	Liner locking
Blade	71-layer Damascus steel, 3.0 mm (0.11") thick		Damascus Steel, 2.3 mm (0.09") thick	Damascuss steel, 2.3 mm (0.09") thick	Damascus steel, 2.5 mm (0.09") thick
Blade length	49.0 mm (1.93")	77.0 mm (3.03")	92.6 mm (3.64")	75.0 mm (2.95")	68.0 mm (2.67")
Handle	Damascus bolster and wood onlay, 14.9 mm (0.58") thick	Stainless steel bolsters, wood onlay, 11 ~10 mm (0.43"~0.39") thick	Stainless steel bolsters, wood onlay, 11 ~10 mm (0.43"~0.40") thick	SS bolster, wood, Contour 10.5~14.0 mm (0.41" ~0.55") thick	Damascuss, shell onlay, Contour 12.0 ~10.3 mm (0.47"~ 0.40") thick
Belt clip carry	N/A	N/A	N/A	N/A	N/A
Opening length	119.0 mm (4.68")	175.5 mm (6.91")	213.4 mm (8.40")	175.0 mm (6.90")	160.5 mm (6.31")
Closed length	70.0 mm (2.75")	98.5 mm (3.87")	120.8 mm (4.75")	98.0 mm (3.85")	92.5 mm (3.64")
Weight	58g (2.05 oz)	132 g (4.65 oz)	158 g (5.55 oz)	132 g (4.65 oz)	126 g (4.44 oz)

DAMASCUS







Item	RDD 173	LDD 174	LDD 175	LDD 176	LDD 177
Locking type	Back locking	Liner Locking	Liner Locking	Liner Locking	Liner Locking
Blade	Damascus steel, 2.3 mm (0.09") thick	Damascus steel, 2.5mm (0.09") thick	Damascus steel, 2.5 mm (0.09") thick	Damascus steel, 2.5 mm (0.09") thick	Damascus steel, 2.5 mm (0.09") thick
Blade length	68.7 mm (2.70")	70.7 mm (2.78")	72.8 mm (2.86")	71.5 mm (2.80")	74.8 mm (2.94")
Handle	Damascus steel, 88.1 mm (3.47")		Damascus steel and wood onlay, 12.0 mm (0.47") thick	Damascuss, carbon fiber, Contour 12.00~15.50mm (0.47" ~ 0.60") thick	Wood 17.0 mm (0.67") thick
Belt clip carry	N/A	N/A	N/A	N/A	N/A
Opening length	154.2 mm (6.07")	155.4 mm (6.12")	156.3 mm (6.15")	161.5 mm (6.34")	176.5 mm (6.95")
Closed length	85.5 mm (3.36")	86.6 mm (3.33")	83.7 mm (3.28")	90.0 mm (3.54")	101.7 mm (4.00")
Weight	86 g (3.05 oz)	84 g (2.95 oz)	84 g (2.95 oz)	92 g (3.25 oz)	105 g (3.70 oz)

From Camping to Survival Your outdoor knife

Be your best outdoor tool helper.
We take both OEM & ODM products,
especially HUNTING, CAMPING, SURVIVAL.









Wanna go camping with your family? But don't know what to take camping?

This tek #MPD118RD camping knife works great for any task, whether you're out in the boat scaling fish or if you're at the campsite rewiring an electronic device, and, tek #510 huntinging knife is a perfect item could added to your hunting hand tools.

Both easily carry around especially with the nylon sheath/ pouch that it comes with.

If you're looking for a reliable hunting/ camping knife that looks and works great, then this is the knife for you.

Item	510
Locking type	Fixed Blade w/ Nylon sheath
Blade	3Cr13 (420J2) Stainless steel, 4.8 mm (0.19") thick
Blade length	212.0 mm (8.34")
Handle	Wood handle, 24.2 mm (0.95") thick
Handle length	144.1 mm (5.67")
Belt clip carry	N/A, Nylon sheath carry
Overal length	335.0 mm (13.18")
Weight	422 g (14.9 oz)

Item	MPD 118RD	
Contains	16 tools of large blade, can opener, magnifying glass w/ screwdriver, phillips head screwdriver, scissors, pliers w/ wire cutter, fish scaler w/ ruler and hook remover, wood saw, file, wrench(M2-M6), small blade, bottle opener w/ allen head screwdriver and wire stripping, corkscrew, reamer, multipurpose hook, chisel, tweezer, toothpick, pin, key ring.	
Handle	Plastic, 39.0 mm (1.53") thick	
Width	28.8 mm (1.12")	
Belt clip	N/A	
Closed		
length	85.4 mm (3.36")	
Weight	230g (8.21 oz)	

OUTDOOR



#MPD102RD



Item	MPD102RD
Contains	9 stainless steel tools of 16 features for large blade, can opener, scissors, wood saw, small blade, bottle opener w/ Allen head screwdriver and wire stripping, corkscrew, multifunctional hook, reamer,tweezer, toothpick, pin and key ring.
Handle	Plastic, 25.7 mm (1.01") thick
Width	28.8 mm (1.12")
Belt clip	N/A
carry	TV/A
Closed length	85.4 mm (3.36")
Weight	147 g (5.18 oz)



Item	283
Locking type	Frame Lock
Blade	420J2 (3Cr13Mov), 2.0 mm (0.07") thick
Blade length	70.0 mm (2.75")
Handle	Anodized aluminum, 7.5 mm (0.29") thick
Belt clip carry	Tip-down carry
Opening length	171.5 mm (6.75")
Closed length	101.5 mm (3.99")
Weight	61 g (2.15 oz)



Item	262
Locking type	Frame Lock
Blade	3Cr13 (420J2) Stainless steel, 2.4 mm (0.09") thick
Blade length	68.0 mm (2.67")
Handle	SS bolster, Colored wood,18.9 mm (0.74") thick
Belt clip carry	Tip-down carry, right side
Opening length	164.0 mm (6.45")
Closed length	98.0 mm (3.85")
Weight	93 g (3.30 oz)

OUTDOOR





Item	509-01	509-02	509-03
Locking type	Fixed Blade	Fixed Blade	Fixed Blade
Blade	420J2 (3Cr13) stainless steel, 2.3 mm (0.09") thick	420J2 (3Cr13) stainless steel, 3.3 mm (0.13") thick	420J2 (3Cr13) stainless steel, 2.8 mm (0.11") thick
Blade length	65.7 mm (2.58")	127.7 mm (5.02")	92.6 mm (3.64")
Handle	Camouflage aluminum, 14.4 mm (0.56") thick	Camouflage aluminum, 19.8 mm (0.78") thick	Camouflage aluminum, 14.6 mm (0.57") thick
Handle length	86.1 mm (3.39")	123.2 mm (4.85")	38.5 mm (1.51")
Belt clip carry	N/A (with sheath)	N/A (with sheath)	N/A (with sheath)
Opening length	151.8 mm (5.97")	251.0 mm (9.88")	131.2 mm (5.16")
Closed length	N/A	N/A	N/A
Weight	56 g (1.97 oz)	229 g (8.07 oz)	111 g (3.91 oz)

OUTDOOR





Item	512-01	512-02	512-03	512-04
Locking type	Interchangeable Locking Design			
Blade	420J2 (3Cr13) stainless steel, 1.5 mm (0.05") thick			
Blade length	181.4 mm (7.14")	124.0 mm (4.88")	111.0 mm (4.37")	151.5 mm (5.96")
Handle	Die casted zinc w/ plastic grip, 33.1 mm (1.30") thick			
Handle length	147.4 mm (5.80")			
Belt clip carry	N/A			
Opening length	328.9 mm (12.94")	271.4 mm (10.68")	258.4 mm (10.17")	298.9 mm (11.77")
Closed length	N/A			
Weight	181 g (6.38 oz) 164 g (5.78 oz) 182 g (6.41 oz) 178 g (6.27		178 g (6.27 oz)	



Item	682	286
Locking type	Spring assisted	Liner Locking
Blade	3Cr13 (420J2) Stainless steel, 2.9 mm (0.11") thick	Anodized aluminum, 2.5 mm (0.09") thick
Blade length	82.0 mm (3.22")	85.0 mm (3.34")
Handle	Anodized aluminum green, 12.7 mm (0.50") thick	Aluminum, 10.0 mm (0.39") thick
Belt clip carry	Tip-down carry, right side	Tip-down carry (with glass breaker)
Opening length	201.0 mm (7.91")	217.0 mm (8.54")
Closed length	120.0 mm (4.72")	122.0 mm (4.80")
Weight	132 g (4.65 oz)	148 g (5.21 oz)



#682

Item	668 w/ compass	
Locking type	Twisted opening	
Multi uses -	Fire starter	
	Compass	
	Keychain	
Material -	Anodized aluminum	
Opening length	109.1 mm (4.29")	
Weight	24 g (0.85 oz)	

2015 PRODUCT CATALOG www.tek-speed.com



Item	206 W/ Sneath
Locking type	Fixed Blade
Blade	9Cr18 MoV Stainless, 6.0 mm
Diaue	(0.23") thick
Blade length	202.3 mm (7.96")
Handle	G10, 22.2 mm (0.87") thick
Handle length	145.7 mm (5.73")
Belt clip carry	N/A
Opening length	348.1 mm (13.69")
Sheath	Kydex
Weight	461 g (16.25 oz)

TACTICAL













Item	211	213BKOD	215BK	HMD 619	681
Locking type	Liner Locking	Liner Locking	Liner Locking	Frame Locking	Liner Locking
Blade	Japanese AUS8, 4.1 mm(0.16") thick	Japanese AUS8, 4.2 mm (0.16")	Japanese AUS8, 4.2 mm(0.16") thick	Stainless steel, black oxide, 2.4 mm (0.09") thick	Stainless steel, 1.0 mm (0.03") thick
Blade length	97.6 mm (3.84")	97.6 mm (3.84")	97.6 mm (3.84")	66.6 mm (2.60")	88.5 mm (3.48")
Handle	G10, 14.5 mm (0.57")thick	G10, 16.4 mm (0.64") thick	G10, 14.9 mm (0.58") thick	Stainless steel, camo coating, 7.8 mm (0.30") thick	Aluminum, 13.5 mm (0.53") thick
Belt clip carry	Tip-up carry, left side	Tip-up carry, right / left side	Tip-up carry, right / left side	Tip-down carry, right side	Tip-up carry, right side
Opening length	222.9 mm (8.77")	222.9 mm (8.77")	222.9 mm (8.77")	156.8 mm (6.17")	199.5 mm (7.85")
Closed length	125.3 mm (4.93")	125.3 mm (4.93")	125.3 mm (4.93")	91.6 mm (3.60")	111.0 mm (4.37")
Weight	175 g (6.15 oz)	191 g (6.75 oz)	182 g (6.40 oz)	58 g (2.00 oz)	124 g (4.37 oz)



Business gift

Provide functional pen, credit card knife, and others for variety fine gift, with stylish design to satisfy your needs.



The tek #667 and #663 Tactical Pen is aircraft anodized aluminum. It comes with a replaceable ball point ink cartridge and a pocket clip with customized logo and name laser engraved on.

The look, style and finish are eye catching.


The LED light built in #667, the best survival kit in your backpack. Uses for Promotion, advertising, office, and business gift.

You can take this into places that no other defensive weapon can go.

Item	663	667 w/ light	
Туре	Tatical Pen	Twisted opening tactical pen	
Material	Aircraft aluminum, anodized gold	Aircraft Anodized aluminum	
N. / . / /	T other alone baselies	Fire starter	
Multi-uses	Tunsgten glass breaker	Glass breaker	
		LED Light	
Belt clip carry	Tip-down carry	Tip-down carry	
Opening length	149.6 mm (5.89")	157.7 mm (6.21")	
Weight	37 g (1.30 oz)	50 g (1.75 oz)	

#663

2015 PRODUCT CATALOG www.tek-speed.com





Folding utility knife with quick change blade and safety lock.

Easy gripping with its anodized aluminum and stainless steel handle.

Moreover, its light weight only 2.54 oz with metal belt clip keeps it conveniently right by your side.

Uses for cutting wire, cutting plastic, cutting rubber tile, cutting box... ect. everyday work around you.

Item	295
Locking type	Frame Lock
Blade	Stainless steel, 3.8 mm (0.15") thick
Blade length	82.8 mm (3.26")
Handle	Anodized aluminum and stainless steel, 16.5 mm (0.65") thick
Belt clip carry N/A	
Opening length	189.7 mm (7.46")
Closed length	106.9 mm (4.20")
Weight 179 g (6.30 oz)	



UTILITY





Item	157	158	159	
Locking type	Liner Locking	Button Locking	Slide Locking	
Blade	Stainless steel, 3.8 mm (0.15") thick			
Blade length				
Handle	Anodized Aluminum, 13.3 mm (0.52") thick	Rubberized aluminum, anti- slip, 15.0 mm (0.59") thick	Anodized Aluminum, 18.0 mm (0.71") thick	
Belt clip carry	Tip-down carry			
Opening length	174.2 mm (6.86")	177.8 mm (7.00")	173.4 mm (6.82")	
Closed length	111.6 mm (4.39")	113.8 mm (4.48")	111.9 mm (4.40")	
Weight	152 g (5.35 oz)	126 g (4.45 oz)	168 g (5.95 oz)	