
EDC POCKET KNIFE

#Frame lock
#Plain edge
#Japanese AUS8
#Stainless steel scale






SAFE FRAME LOCK










Item	#800 series
Locking type	Frame Locking
Blade	Japanese AUS8, 2.7 mm(0.10") thick
Blade length	74.0 mm (2.91")
Handle	3Cr13 stainless steel, 14.8 mm (0.58") thick
Handle length	98.9 mm (3.89")
Belt clip carry	Tip-up carry, right/ left side
Opening length	173.0 mm (6.81")
Closed length	98.9 mm (3.89")
Weight	109 g (3.85 oz)

Copyright © TEK International Co.,
www.tek-speed.com

EDC POCKET KNIFE

#Liner lock
#Plain edge
#Japanese AUS8
#G10 scale







SAFE LINER LOCK











Item	#801 series
Locking type	Liner Locking
Blade	Japanese AUS8, 2.7 mm(0.10") thick
Blade length	71.5 mm (2.81")
Handle	G10, 11.1 mm (0.43") thick
Handle length	94.9 mm (3.74")
Belt clip carry	Tip-up carry, right/ left side
Opening length	166.4 mm (6.55")
Closed length	94.9 mm (3.74")
Weight	68 g (2.40 oz)

Copyright © TEK International Co.,
www.tek-speed.com


SURVIVAL FIXED BLADE


#Plain edge
#420HC
#58-60HRC w/cryogenic
#Kydex sheath











Item	803
Locking type	Fixed blade
Blade	420HC, Black oxide/ Stonewash, 3.0 mm (0.11") thick
Knife length	181.8 mm (7.15")
Sheath	Kydex, 6.0 mm (0.23") thick
Sheath length	117.5 mm (4.62")
Sheath width	54.5 mm (2.14")
Weight	88 g (3.10 oz)

Copyright © TEK International Co.,
www.tek-speed.com

CLASSIC

#Spring assisted/ Lock back
#Plain/ Combo edge
#Japanese AUS8/ VG10
#58-60HRC w/cryogenic
#G10 scale







#802SL



#802LB








Item	802SL	802LB
Locking type	Spring assisted opening	Lock back
Blade	Japanese AUS8, 2.8 mm(0.11") thick	Japanese VG10, 2.8 mm(0.11") thick
Blade length	88.5 mm (3.48")	87.0 mm (3.43")
Handle	G10, 13.0 mm (0.51") thick	G10, 13.0 mm (0.51") thick
Handle length	114.5 mm (4.51")	117.5 mm (4.62")
Belt clip carry	Tip-up/ down carry, right/ left side	Tip-up/ down carry, right/ left side
Opening length	203.0 mm (7.99")	204.5 mm (8.05")
Closed length	114.5 mm (4.51")	117.5 mm (4.62")
Weight	117 g (4.15 oz)	151 g (5.35 oz)

Copyright © TEK International Co.,
www.tek-speed.com

FOLDING KNIFE

#Liner lock
#Plain edge
#Japanese AUS8
#58-60HRC w/cryogenic
#G10 scale








SAFE LINER LOCK










Item	#218 series
Locking type	Liner lock
Blade	Japanese AUS8, 3.5 mm (0.13") thick
Blade length	99.2 mm (3.90")
Handle	G10,16.0 mm (0.62") thick
Handle length	124.8 mm (4.91")
Belt clip carry	Tip-up carry, right / left side
Opening length	224.0 mm (8.82")
Closed length	124.8 mm (4.91")
Weight	171 g (6.00 oz)

Copyright © TEK International Co.,
www.tek-speed.com

FOLDING KNIFE

#Spring assisted
#Half serrated edge
#Japanese AUS8
#58-60HRC w/cryogenic
#G10 scale








SAFE LINER/
SPRING ASSISTED









Item	#220 series
Locking type	Spring assisted opening
Blade	Japanese AUS8, 3.0 mm (0.12") thick
Blade length	88.2 mm (3.47")
Handle	G10, 17.0 mm (0.66") thick
Handle length	121.0 mm (4.76")
Belt clip carry	Tip- up/ down carry, right/ left side
Opening length	209.2 mm (8.23")
Closed length	121.0 mm (4.76")
Weight	172 g (6.05 oz)

Copyright © TEK International Co.,
www.tek-speed.com

FOLDING KNIFE

#Spring assisted
#Half serrated edge
#Japanese AUS8
#58-60HRC w/cryogenic
#G10 scale













SAFE LINER/
SPRING ASSISTED





Item	#220 series
Locking type	Spring assisted opening
Blade	Japanese AUS8, 3.0 mm (0.12") thick
Blade length	88.2 mm (3.47")
Handle	G10, 17.0 mm (0.66") thick
Handle length	121.0 mm (4.76")
Belt clip carry	Tip- up/ down carry, right/ left side
Opening length	209.2 mm (8.23")
Closed length	121.0 mm (4.76")
Weight	172 g (6.05 oz)

Copyright © TEK International Co.,
www.tek-speed.com